VILLAGE OF NEWARK PUBLIC WORKS DEPARTMENT RIGHT OF WAY (ROW) PERMIT REQUIREMENTS

The following information would be required with excavations within the Right of Way (ROW) Permit Application submittal.

- 1. A detailed plan showing both the existing conditions and proposed improvements, including:
 - a. Lot dimensions, lot address, all parkway trees, north arrow, and scale
 - b. Locations of existing buildings, pavements, sidewalks, fences, and utilities
 - c. Locations/dimensions and types of materials to be used for all proposed connections to city owned utilities; or other proposed work within the right of way, including saw cuts.
 - d. Detail of the type of utility connection to be made
 - e. Description of the type of restoration to be made for trench backfill, pavement, concrete, grass areas, etc.
 - f. Existing and/or proposed grading and drainage plan, if applicable.
 - g. Signature & Seal of a Professional engineer.
- 2. A certificate of insurance equal to or greater than a \$5,000,000 commercial liability insurance policy is required for all work within the ROW. The VILLAGE OF NEWARK shall be listed as additional insured on all certificates of insurance submitted.
- 3. All other non-excavation type work within the ROW (including the use of overnight storage pods, dumpsters, and saw-cutting/removal of a barrier curb for a driveway) will require the satisfactory submittal of a \$10,000 WARRANTY BOND.
- 4. Any excavations (or removal/replacements) within the paved areas (i.e. streets/alleys, sidewalks, parking areas, curbs/gutters) that will require restoration; or landscaping within the parkway areas, will require the submittal of a satisfactory \$50,000 WARRANTY BOND.
- 5. If the Public Works Department determines the proposed improvements will require a lane closure or detour, a detailed traffic control plan indicating current Illinois MUTCD approved signage and IDOT approved details will be required for review/approval <u>prior</u> to the issuance of the ROW permit. Said approved traffic control plan must be satisfactorily installed <u>prior</u> to commencing the proposed work within the ROW.
- 6. Notice on Plan to call 811 (J.U.L.I.E.) required.

This information, along with the completed ROW application, should be submitted to:

Village of Newark
Public Works Department
PO Box 270
Newark, IL 60541- 0270
publicworks@newark-il.us